Package: dail (via r-universe)

October 12, 2024

Title Data from Access to Information Law
Version 1.5.2
Description Downloads the public data available from the Brazilian Access to Information Law and and performs a search on information requests and appeals made since 2015.
License MIT + file LICENSE
Encoding UTF-8
LazyData true
Roxygen list(markdown = TRUE)
RoxygenNote 7.2.1
Imports deflateBR, dplyr, janitor, lubridate, magrittr, RCurl, readr, stopwords, stringr, tidytext
Suggests testthat (>= 3.0.0)
Config/testthat/edition 3
Depends R (>= 2.10)
Repository https://igorlaltuf.r-universe.dev
RemoteUrl https://github.com/igorlaltuf/dail
RemoteRef HEAD
RemoteSha f78e23f9940e25742f0b616cc0266968281caaa5
Contents
appeals
Index

appeals	Queries the appeals made through the Brazilian Right to Information Law
---------	---

Description

Downloads data for the selected years, apply a filter and return it in the form of a dataframe.

Usage

```
appeals(year = "all", agency = "all", search = "all", answer = F)
```

Arguments

year selects the years which data will be downloaded. integer.

agency selects the public agency to be searched. see the available agencies in agen-

cies_initials. character.

search selects the keyword to be searched. character.

answer if true, fetches the content of the search argument in the appeals responses.

boolean.

Value

a dataframe with appeals containing the keyword

Examples

```
## Not run: appeals(search = 'PAC')
```

corporateCardExpenses Queries presidential expenses with the corporate card

Description

Downloads data from 2002 to 2022 and return it in the form of a dataframe. Deflated values refer to values in November 2022.

Usage

```
corporateCardExpenses()
```

Value

a dataframe with the data from 2002 to 2022.

Examples

```
## Not run: df <- corporateCardExpenses()</pre>
```

requests

Lativ	requests	Queries the requests made through the Brazilian Right to Information Law
-------	----------	--

Description

Downloads data for the selected years, apply a filter and return it in the form of a dataframe.

Usage

```
requests(year = "all", agency = "all", search = "all", answer = F)
```

Arguments

year selects the years which data will be downloaded. integer.

agency selects the public agency to be searched. see the available agencies in agen-

cies_initials. character.

search selects the keyword to be searched. character.

answer if true, fetches the content of the search argument in the request responses.

boolean.

Value

a dataframe with requests containing the keyword

Examples

```
## Not run: requests(search = 'PAC')
```

Index

```
\label{eq:corporateCardExpenses} \begin{picture}(200,0) \put(0,0){\line(0,0){100}} \put(0,0){\line
```